

10/556808

JC14 Rec'd PCT/PTO 15 NOV 2005


**THE FOLLOWING ARE THE ENGLISH TRANSLATION
OF ANNEXES TO THE INTERNATIONAL PRELIMINARY
EXAMINATION REPORT (ARTICLE 34):**

Amended Sheets (Pages 12& 13)

Translation of amended sheets annexed to the IPRP

We claim:

1. A process for preparing carboxyl-terminated polyisobutenes, which comprises reacting a polyisobutene which is terminated by an ethylenically unsaturated double bond and has the formula I



where

10 A is a radical derived from a polymerization initiator,

M is a polymer chain comprising repeating units of the formula II



15 B is a radical of the formula III or IV



20

where

R¹ and R² are each H, C₁-C₄-alkyl or phenyl and

n is from 1 to 6,

25

with ozone and,

- 30 (a) when B is a radical of the formula IV in which R¹ and R² are each phenyl, subsequently heating the reaction mixture obtained to from 60 to 150°C if appropriate; and
- (b) in the other cases, subsequently heating the reaction mixture obtained to from 60 to 150°C.
- 35 2. A process as claimed in claim 1, wherein R¹ and R² are each phenyl.
3. A process as claimed in claim 1, wherein R¹ and R² are each methyl.
4. A process as claimed in any of the preceding claims, wherein the reaction product obtained is heated to from 70 to 120°C.

40 AMENDED SHEETS

5. A process as claimed in any of the preceding claims, wherein the polyisobutene terminated by an ethylenically unsaturated double bond is reacted with ozone at from -100 to 40 °C.